

**CROSS AGATHA II LIPO LASER PERMANENT AND LATEST TECHNOLOGY  
IN REGIONAL TIGHTENING, NON-OPERATIVE LASER LIPOLYSIS DEVICE**




- 1 Slimming of belly
- 2 Slimming of thighs
- 3 Slimming of waist
- 4 Tickle recovery
- 5 Slimming in the application area



## CROSS AGATHA II LIPO LAZER

At least **%25** reduction  
in persistent fats



15 inc Touch Screen



**CROSS AGATHA II LIPO LASER**  
PERMANENT AND LATEST TECHNOLOGY  
IN REGIONAL TIGHTENING,  
NON-OPERATIVE LASER LIPOLYSIS DEVICE




The world's first and only Non-Surgical Laser Lipo "body shaping LASER technology that can be used in all body and skin types. After application, shredded fat cells are eliminated from the body by the body's natural system. AGATHA II LIPO LASER shapes your body like a sculptor. Provides regional thinning. In spite of the diet, it is possible to reduce the fats that does not go from, thighs, belly and waist with AGATHA II LIPO LASER. Even people lose weight, thighs and umbilical oils are resistant to many diet lists and sports. Regional slimming and regional thinning methods include cold lipolysis, laser lipolysis, ultrasound sound waves lipolysis, needle lipolysis. Among these regional thinning methods, the laser lipolysis device AGATHA II LIPO LASER, which tightens the skin in the applied region without applying any vacuum without damaging the applied area, is safely used. It is an ideal regional thinning method for women / men who cannot get rid of their excess with diet and exercise and prefer not to have fat removal surgery.

It is used to break down fat that has excessive fat storage, especially in the abdomen, thighs, inner leg and waist. After application, shredded fat cells are excreted by the body's natural system.

One treatment lasts 25 minutes. In cases where the oil content is high, sessions 2 or 3 may be required at intervals of 1-1,5 months.

The initial results are seen 5 weeks after the application and the full result is seen after 10 weeks.



## What is AGATHA II LIPO LASER?

AGATHA II LIPO LASER is a type of laser that works at 1060 nm wavelength and has intense absorption by adipose tissues. It is the world's first and only non-surgical laser lipolysis can be applied to all body and skin types body shaping and regional thinning device. AGATHA II LIPO LASER, which sculpts the body like a sculptor, can be applied to female and male clients who cannot get rid of stubborn fat by diet and exercise and prefer not to have fat removal surgery. It is one of the most preferred applications in rapid regional thinning. Mainly used in abdominal, belly slimming, thigh slimming, in the legs and waist regions are used to break fats.

## To whom AGATHA II LIPO LASER can applied?

To the clients whom tried many ways for regional slimming, but still have some regional thinning used effectively .

## How to apply AGATHA II LIPO LASER?

It is applied to eliminate regional fats where it is not possible to get rid of them after tried different methods. Without surgery, It is possible to treat 96 cm<sup>2</sup> of the body at the same time with 4 application handles, each of which treats 24 cm<sup>2</sup> area on the body. This application provide slimming with thinning of subcutaneous fat tissue. AGATHA II LIPO LASER with proprietary energy modulation and controlled energy distribution, procreate the optimum temperature of 42°C - 47°C which is required for the deterioration of the structure of adipose tissues . AGATHA II LIPO LASER achieves 90% patient satisfaction by providing at least 25% reduction in stubborn fats without damaging the surrounding tissue.

## Why is the cooler handle important?

Applicators with coolant properties, by applying cold to the surface of the skin, provide both application comfort and accelerate the process of destruction and expulsion by freezing the fat cells which are damaged by the thermal effect of the laser. Fat cells are permanently destroyed and thinning is achieved at the same time slimming of the application area is provided.

- 1 Slimming of belly
- 2 Slimming of thighs
- 3 Slimming of waist
- 4 Tickle recovery
- 5 Slimming in the application area



## How long it takes to treat with AGATHA II LIPO LASER?

AGATHA II LIPO LASER is an easy, painless, safe, comfortable and has a 90% client satisfaction rate. After application, the broken fat cells are eliminated from the body by the body's natural system.

## Should AGATHA II LIPO LASER be repeated / how often?

Generally, one treatment of non-surgical AGATHA II LIPO LASER is sufficient for one region. If the stubborn fat content is high, second or third sessions may be required after 1-1,5 months.

## When do AGATHA II LIPO LASER effects start?

The initial results are seen 5 weeks after treatment, the full result occurs after 10 weeks. Most importantly, the results are permanent and do not require a special diet program after it.

## In which areas does AGATHA II LIPO LASER applied?

AGATHA II LIPO LASER is a fast, reliable and effective regional thinning method used for slimming of belly fats, waist fats, thighs fats and hips tighten.



### SILICONE APPLICATOR HOUSINGS

It provides the most accurate and effective application in various parts of the body by means of 1 piece 4-side-by-side and 2 pieces 2-side-by-side silicone antibacterial applicator slots provided together with the device.



## Frequently Asked Questions

### What are the advantages of AGATHA II LIPO LASER?

With AGATHA II LIPO LASER, it is possible to get rid of the stubborn fats in the body in 25 minutes with a very short time and with a practical method without need the surgical procedures. It is preferable that it is more economical compared to fat removal surgery, that the patient can return to his / her daily life immediately and that it is painless, comfortable and extremely safe. There are no problems such as bruising after laser lipolysis. There is no need for the corset, which should be worn for at least 3 weeks after laser lipolysis.. AGATHA II LIPO LASER is one of the most preferred regional thinning technology in body shaping with 90% patient satisfaction rate.

### Is AGATHA II LIPO LASER a painful application?

Local or general anesthesia is not applied during and after the application because client feel no pain. The patient can easily continue their daily life immediately after the procedure.

### What are the risks and side effects of AGATHA II LIPO LASER?

No side effects occur during or after application of AGATHA II LIPO LASER. It is an extremely secure system.

### What age does AGATHA II LIPO LASER not be applied?

In adulthood, it is not recommended to reduce fat tissue with devices. Because in the adipose tissue, growth hormones that people will use in their older ages are stored. Therefore, this application is not appropriate in the age group of children.

### What should be considered after AGATHA II LIPO LASER?

Massage is not recommended in the first days after AGATHA II LIPO LASER application. It is recommended to increase the daily water consumption by at least one liter against possible edema. For better results, it is not recommended to consume carbohydrate or salty foods. Supporting with a diet program will accelerate the appearance of effects.



## CLINICAL ARTICLES

Decorato JW, Sierra R, Chen, B. Clinical and Histological Evaluations of a 1060nm Laser Device for Non-Invasive Fat Reduction. Paper presented at: 2014 Annual American Society for Laser Medicine and Surgery Conference; April 2-6; Phoenix, AZ.

Katz B, Doherty S. A multicenter study of the safety and efficacy of a non-invasive 1060 nm diode laser for fat reduction of the flanks. Paper presented at: 2015 Annual American Society for Laser Medicine and Surgery Conference; April 22-26; Kissimmee, FL.

Bass L, Doherty S. Non-Invasive Fat Reduction Of The Abdomen With A 1060nm Diode Laser. Paper presented at: 2015 Annual American Society for Laser Medicine and Surgery Conference; April 22-26; Kissimmee, FL.

**At least %25 reduction  
in persistent fats**




**MADE IN GERMANY LASER  
HANDLES (-5°C)**



**ADVANTAGES**

- Provides 42°C - 47°C optimum heat for the deterioration of adipose tissues
- It has German made laser caps.
- There is no energy loss because the laser source is located in the handles.
- Real sapphire cooling system transfers the cooling instantly.
- It can work continuously without waiting time.
- Provides at least 25% reduction in stubborn fats.
- It has a very short application time of 25 minutes.
- Does not damage the surrounding tissues.
- It is a non-invasive, non-surgical method.
- Contact cooling system is available for patient comfort.
- Proprietary energy modulation ensures efficient results.
- Especially effective in stubborn fats.
- Applicable to all body and skin types (skin type I-VI).
- A specially developed vacuum-free, easy-to-fit applicator design is available.
- During the application, the patient can use his/her hands and watch TV.
- Easy and safe connection system is available.
- It is a very low cost application compared to lipolysis by surgery.
- Short recovery time
- After application does not require special care like corset etc.

**42°C - 47°C  
PROVIDES OPTIMUM HEAT**



**CLINICAL DATAS**



## TECHNICAL SPECIFICATIONS

### AGATHA II LASER LIPOSUCTION TECHNOLOGY 1060NM

<b>Treatment Time:</b>	25 Minutes
<b>Laser Handles:</b>	4 Pieces
<b>Laser Handles Output Power:</b>	60W Each applicator (Total 240W)
<b>Handle Treatment Area:</b>	4cmX8cm = 32cm <sup>2</sup> (4 handles can treat 128cm <sup>2</sup> area at the same time)
<b>Laser Wavelength:</b>	1060nm
<b>Power Density:</b>	0.1W-1.7W / CNF
<b>Power Throw Mode:</b>	Continuous Laser
<b>Laser Pulse Time:</b>	1-20ms
<b>Application Time:</b>	L-60min (min.)
<b>Voltage:</b>	220V